

a³
concl. luminescent period in the impulse driving can be adjusted by controlling the liquid crystal shutter. (The eighteenth embodiment of the liquid crystal display device)--

REMARKS

Please approve the new drawing sheet for Fig. 45B and the changes shown in red on the marked-up copy of Fig. 45. A Separate Letter to the Draftsman is enclosed.

New Fig. 45A is identical to Fig. 45, and support for new Fig. 45B is found in Fig. 45A and in the specification on page 74, lines 6-9. That is, Fig. 45B is the same as Fig. 45A, with the liquid crystal shutter described on page 75, lines 6-9 of the specification shown in the Figure. The unnecessary structure in the back light 88 has been removed from Fig. 45B.

Fig. 45B has been added to explain claim 53. Accordingly, applicants submit that new matter has not been added by this amendment.

The specification has been amended to reflect the replacement of Fig. 45 with Figs. 45A and 45B. Entry of this amendment and approval of the drawings is respectfully requested.

Attached hereto is a marked-up version of the changes made to the specification by the current amendment. The attached Appendix is captioned "**Version with Markings to Show Changes Made.**"

Respectfully submitted,

GREER, BURNS & CRAIN, LTD.

By



Patrick G. Burns
Registration No. 29,367

November 1, 2002

300 South Wacker Drive
Suite 2500
Chicago, Illinois 60606
Telephone: (312) 360-0080
Facsimile: (312) 360-9315
Customer No. 24978
K:\0610\64705\Elect Restrict Resp.doc

VERSION WITH MARKINGS TO SHOW CHANGES MADE**In the Specification:**

The paragraph beginning on page 35, line 13 has been amended as follows:

Fig. ~~45~~45A is a block diagram showing a seventeenth embodiment of the liquid crystal display device of the present invention;

Fig. 45B is a block diagram showing another example of the liquid crystal display device;

The paragraph beginning on page 73, line 33 has been amended as follows:

Fig. ~~45~~45A shows an outline of the TFT (Thin Film Transistor) driving liquid crystal display device used in this embodiment. In this embodiment, elements corresponding to the elements described above for the above embodiment are given the same reference numerals and explanation of these elements is not repeated.

The paragraph beginning on page 75, line 6 has been amended as follows:

Moreover, as shown in Fig. 45B, a shutter comprising liquid crystals or the like may be arranged on a front surface of the liquid crystal panel A so that the luminescent period in the impulse driving can be adjusted by controlling the liquid crystal shutter. (The eighteenth embodiment of the liquid crystal display device)